
Ormesty

Report of the Medical Officer of Nealth.

—for the

Luarter ending.

March 31 st 1898.



Gentlemen, During the 3 months ending March 31-1898 40 deaths were registered in the Ormesty District giving a death rate of 14.3 per thousand perannens, the population being estimated at 9236. You of these deaths occurred at the Cottage Nospital but 5 of these were imported from outside the district. Deducting these, the death rate is reduced to 15.1 per thousand per annum. The Causes of death were 5 Small port влогр Scrofulous diseases. Phihises. Diseases of Kervous systems;

Convulsions } 4 " Circulatory System. " Respiratory ... 9 a Digestise ---L . Urinary ---Tremature Boith. Inanition. 2 Old age. Injuries. 1 Theumatic Fever Other diseases. 3 40.

The Births numbered yy giving a Birth rate of 33.3 per 1000 per annum.

The ages at which death occurred were:

Under 1 year 9

1 year \* lender 5 years. 5

5 15 " 1

25 " 1

20 20

60 " 20

40




The following Infections cases were notified during. The quarter.

	Under 5 years	5 years x over	Total.
Scarlet fever.	8	4	12
Erysepelas.	1	5	6
Typhoid fever.		6	6
Small par.	/	32	33
Broup.	1	-	1
Diphtheria.	-	1	1
	11	48	59

The deta	all of the case	es are as 1	follows i-
Date	address	~	Remore.
Jany 3/98.	6 Westbourns Grow		2 no case see Dec 31/94
"	-bottage Hospital		admilled Jany 94 with scalds from 44 gurney St Mibro, removed to Mibro Fever Hospital.
21	do	"	Removed to Worsby Nouse.
25	33 Bargate St	Etysipelas	no Samitary deposts.
26	15 Morris St	Scarlet f.	Origin continuous Office : tionable gully in yard
26	y Fees set	Erysipelas.	after burns with Carbolic acid. Disused scullery sink
26	5 Louisa St	-	Waste pipe passing under scullery floor offensive gally in yard. Sanitary condition of house go
28	16 Fees St.		no sanitary defects
18	49 alfred St	Syphoid f.	Deep ash pil cause of fever an
ly 4/98	34 High St	-	Imported from Mitro. No defeats.
6	43 Smeaton St	Small por	Case . 1 . S.P.
6	6 Market Pl.		Case . 2 . S.P.
6	38 Smeaton St	-	Case. 3. S.O.
7	56 Morris St		Case. 4. S.P.
8	13 bromwell St.	Erysipelas.	
9	31 Leven St	Small box	Case. 5. S.P.
16	43 Smeaton St	-	Case. 6.5.P.
10	9 Short St	-	Case. of S.P.
10	50 Stevenson 54	-	Case. 8. S.P.
"	28 Charles St	-	Case. 9. S.P.




Date.	address.	Disease.	Remarks.
Feb 11/98	6 Navison St	Scarlet f.	Source of disease could not be ascertained . Soullary suit waste pipe not trapped & dischanging
13	26 Hings Ad.	Small por.	case 10. S. P.
14	my Felford St.	Typhoid f.	Offensive gully in yard.
14	46 Stevenson St	Small pox.	Case. 11. S.P.
18	56 Morris St.	(a	Case. 12. S.P.
18	"Worsky arms"	Typhoid f.	Sanitary condition of promises fairly good.
21	1 Jubilee 5t	Small por.	Case. 13. S.P.
24	5 Nymer St		Case. 14. S.P.
25	28 Stevenson St.		Case. 15. S.P.
26	24 Wors Beg 5h	- 4	Case. 16. S. P.
26	48 Pennyman St		Case. 14. 5. P.
26	19 Hings Ad.	Typhoid f.	Scallary said waste sipe not trapped to appears to discharge tito kouse drawn which was stopped, Offensive winal in corner of good.
29	50 Fearyman St	Small for	Case. 18 S.P.
27	15 Prospect Pl.	-	Case. 19. S.P.
27	46 Hymer St		Case. 20. S.P.
28	42 Worsley St		base, 21. S.P.
28	3 Louisa. S.L	_	· Case. 12. S. P.
28	38 Bangate St	Scarlet for	Cause unknown. Despashpit.
Mar 1/98	31 Leven . St	Small por.	Case 23. S.P.
2	13 Market. P.	-15	Bale. 24. S.P.
2	Sundial" Omooby.		Case. 25. 5.P.
3	6 Nampden St.	_	Case. 26. S.P.
5	1 Jubiles St	4	Case. 24. S.P.
5	38. Bargate St	Scarlet f.	2 nd Case. See Feb 28 th
8	6 Heath Feer.		Course werknown. No sanitary
8	33 Smeaton St	Erysipelas.	No Sanitary defeats.
/2	94 Stevenson St.	Small foot	Case 18. S.P.
/2	"Seldom Sem".	-	base. 29. S.P.
14	11 Prespect St.	Scarlet for	No Samilary defacts. Origin
15	6 Hymer St.	Small par.	No Samitary departs. Origin of fever but nown. Case 30. S.P.
16	41 Pennyman S.	broup.	no sanitary defects. Death.
18	41 Leven St	Scarlet f.	do - Cause centimera.
21		Small for .	Case. 31. 5.P.



Date. Remarks. address. Disease. Mer 2498 53 Startin St Small pox Case. 32. S. P. 6 Neath Ten. 2 to case. See Mar. 8 4 22 Scarlet for. 18 Morris St Typhoid f. No sanitary defeats. 23 24 31 Market Dr. Diptheria. Scarlet f. do Origin unstrown. 23 Harrison St 24 25 44 Teal St Small par . Case. 33. S.P.

## Chart showing cases of Small Por reported from Jany 1st 1898 to april 2 2 1898.

Ages.		From Jany 1	\$4.6.	Feb 13.	Feb 20	Fel 27	Mar 6	Mar/3	Mar 20	Mor 24	1
Under Gears	Passe.	Feb 5.	Feb 12	Feb 19.	Frat 26.	Mar. 5	Mar 12	Mar 19	- Wes 26	April 2.	HANDE OF
Sysul Smer	0 70	9	9	3	5	10	2	-	Э	1	
Total	Me		9	3	5	10	2	1	9	1	
	10										
	9					$\Lambda$					
	8		$-$ \	3.16		/ \					
	b					_\					
	5			$\setminus$		2	\				
	3								$\wedge$		
	2						/				
1.0	0										(a) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d
West C of Epidom	io.		1	2	3	4	5	6	7	8	
-	10					1960				OK HAR	BOTO SECTION



<b>1</b>					
Disease.		Jany.	Feb.	mar.	Total.
Scarat fever.	5 years	4	1	Э	8
-	Hover		1	3	4
Engsipelas	5 years.	1	-	-	1
	hover.	3	1	1	5
Typhoid Fever.	5 years		_		(+-)
	5 years x over	1	4	1	6
Small por.	trucker 5 years.		-	1	1
	5 years nover.		22	10	32
Mem Broup.	5 years			1	1
	Hoven				=
Diphtheria.	5 years.		-	J	MEN
	Koven.	-	-	1	1
Total.	syears.	5	1	5	11
	Nover	4	28	16	48
	at all ages	9	29	21	59

analysis of Cases admitted to Small Por Nosbital during quarter ending March 31th 1898

durin	ig qua	ster end	den	March	0/	- 1090		
É	g U	Sawy.	Te	bruary.	8	jaroh:	Fota	l
Vaccinated	5 years			*		11	26	
Not Vaccinated	nover -			15		1	1	
//UF 00000410000	5 years	-		6		-	6	
hod facountin	nover	,		4		2	6	
to be seen on		2		1		. 3	4	
soud to have		3 -	0	8	1 3	5	13	
Vaccinated		4 -	Case Case	1	Ma	-,	2	
Character of		od 3	1	9	2 5	7	16	
Vaccination		cir.	1	1 0	1 1	1	2	
marks	Z	ad.	3, 3	4	100	2	6	
	not we	the same of the sa	34	/		2 Note A	2	Note A.
Death.	Vaccina	ted.		1		2	3	
Cured.		ated.		2		10	2	
	()			And the second s				

Bemaining in the Hospital 14 primary Note A. Includes a woman of 24 years having 3 good, vaccination marks, and a child of 9 years said to have been vaccinated but having no marks of vaccination.



The epidemic of Small Por in North Ormety was an extension of the outbreak in Middlettro which is said to have had its origin in a visit paid to that town to a travelling show in november 1894, or may have been imported, it is suggested from Bilbao. The first case in Meddles too was certified on Nov 22 2 additional cases on Dee 4 - 5 cases notified Jely. 2 - 24 8 on 4 on - 28 18 on - 30 23 on - 4 - 5 - 30 23 m 34 n 31 during farmary - 4 44 on In all 1201 cases had been notified up to I including March 31st and 153 deaths had occurred. The accommodation provided for small por patients in M'tro Soon Secame extrausted and on 19 5 Febry there were 144 cases outside the Nospital being nursed in their homes in the lower many of whom remained at home until they recovered or died. On Jany 22 to word was received from Dr. Malcomson The Medical Officer of Nealth for Middlesbro, that small Pay patients from the Ormesby district could not be admitted wito the Mitro Fever Nospital, and the same day the Chairman of the Ormathy District Council, the Surveyor and myself took steps to provide accommodation for any cases arising in the Ormesty District. We fixed on a cottage called "Seldom Seen" ( half way between north Ormosty Hormesty Village) standing in a field and well away from the main road and about 1000 yards distant from the meanest house. a special meeting of the Council was told on Jany 24 \$ and permission given to use this building for Small por caled. Instructions were also given to be ready to at once provide additional accommodation if required and pland were ordered to be drawn for a small hospital, and a Kurling staff procured. arrangemente were also made for the innedicte reception of cases with the Eston Faver Hospital.



It was thought that the Cottage might do for 2 or 3 cases, but the disease increased to rapidly in Middlestro that it was seen enlargement of the building would have to be undertation.

The first cases, I in neumber, occurred on Feby 6 th and were refused admission by the Eston Savitary and were refused admission by the Eston Savitary as we had accommodation for there, which I expected would be in I days, or, I offered to afterwards take with one hospital an equivalent if required.

A special meeting of the Cauncil was told on Sunday

Tely 6th, and on Monday we began to carry and the erection of the first hospital building, which was finished and the cases moved in on Thursday following. The number had by that time increased to 8.

No case I am pleased to say resulted from our having to retain the patients in their homes for the 4 days it took to prepare the hospital, so far as I can tell, and containly none of those admitted afterwards were due to the delay in removing those first attacked.

The cases were strictly isolated and the immates compensated for loss of wages. a watch was kept on the houses, and anything required by these within supplied by those quarding the premisel. On Feby 10 th all the cases - 8 - were removed to Deldom Seen", De Fulton Medical Officer to the Eston Sanatorium traveing been appointed Medical Officer in change and since then every case has been removed the Same day as notified, excepting one in Lawing merning. The Oottage was used as the administrative block and contained a Nitchen, scullary, storeroom and bedroom. The shed hospital was built on piles 2 or 3 feet above the ground. a proper drawings scheme was arranged by the Surveyor bat all discharges from The patients were burnt. Traviscon for Supplying hot water to The hospital was also made. And as the water supply to the Cottage was thought of doubtful parity being derived



from a spring it was ordered to be analysed and byone being used to be boiled, and a supply was sent doily in a water cart from the stockton & M' bro Water Boards main in North Ormesty.

The first shed to hold 13 patients was 31 ft 6 weber long, by 31 ft 6 in. The height being 15 feet to the eavel, and 30 ft to the ridge, having a boarded floor, and divided by a central corridor 5 feet wide, so as to form I wards and connected to the administrative block by an open corridor. This and the whole of the wooden buildings was covered with felt outside and was heated by 4 slow combustion stoves.

Four Sed rooms were also exected at the same time and connected by a short corridor to the corridor forming the Cottage with the Nospital. It was well lighted and Ventilated & when finished was most comfortable.

after a time I saw the accommodation would prove inhafficient and advised the Council to exact a second hospital. This was agreed to , and on Feby 14th, an additional building was commerced and finished by 22 of Jely at which time there were 3 male x 9 formale patients and a faty in the first shed.

This second hospital shed was built at the rear of the first one and connected to it by a closed corridor 12 ft long. The shed was 63 ft long, 32 ft wide. It ft from floor to ridge divided by a central corridor left wide and each half again divided so that the shed contained & wards.

It was also found necessary to provide a Wash house a large Copper for the supply of hot water and a new Bitchen range were also fixed.

The Staff consisted of Dr. Fulton, Medical Officer, Mr. Carrott Matron X Nead Murse, 2 assistant ourses Ward maid, Cook, General Servant X. Porter.

From the commencement of the exidence to March 31st 39 patients were admitted with the Hospital of which 5 died.

14 were discharged cured and





In addition to isolation in hospital other measures were taken for checking the spread of the epidemic Vaccination & Re-vaccination of the whole district was arranged for by the Guardians, and a great many vaccinations and re- vaccinations performed by the general practitioners in the district. Domiciliary vaccination and re-vaccination was also done. Und finally instructions were given to all medical men to perform vaccination and charge the Guardians for Those done successfully, the dymph being supplied by the Sanitary authorities of the various distrects. Naud tills and fosters advising vaccination and revaccination were widely circulated, also bills giving instructions to Householders for dealing with any small por case occurring in a house. If a case did arise it was removed, and in some in-- stances the beds and bed lenen destroyed (compensation being given or disinfected. Thorough disinfection of the house and contents carried out, revaccination of those exposed to the disease performed and a look out Kept for a recurring 548 Vaccinations & revoccinations were performed in Morts


Ormesty by myself from Jany 1 to March 31, including over 60 nurses, servants in patients at the Cottage Hospital, and


The sanitary condition of the Streets and back streets was also attended to: The removal of felth and emptying of ashpits well looked after. Disempetants freely used and distributed in the district











dist of cases of small Cox occurring in the Ornesby Arban Distr. Quarter ending 315 march. 1898.

							. 41 -					
Jan 1	dex	Ciga.	Sasidence.	Date of attack.	Car Casemated or not vace	to of	Ledes.	mat B	Whow dace.	aduat	Remor	Rednell
d	- K	\$	43 Sme aton St.	Febr 5	e p	ž.	6		6	9	ct. 10	Received Fel 16
B No	在段	6 4 60 to	38 Someon St.	* ·	Je Je	(h)	Soact.		Many	No.	1 10	, Man 15
*	Jp.	to M	so mound St	z Cu	168	By	- press		a	is of	10	Receivered Mor 19.
Sq.	59	En la	Il seven vot	•	E.	tu		Bad	8	K THE	- 10	- Sal 28
100	°kc	(d)	43 Smeaton St	s C <sub>1</sub>	Though.	(s)	Sock.		å	Jef 24	10	- X4 28.
<i>C</i>	ENT.	N. C.	of Short St	ol.		Bre			8		- 10	- Mon 12
00	CHE.	24		*	The state of the s	1		in and	d	V Jak	= 10	- Mar 5.
Ø	R	85) E	28 Charles Set	* 10	100	C.	Sheer.		8		1	Deed Mor 8.
9	Se	<b>3</b>	26 Amas Rd	. 10	E.	Cu	Good		8		- 13	Reservant, Men 5
N.	EN.	Ch.	46 Stower Son S.	s 111	370						- 19	Ocad 34 20
B	The	28	56 Monres of	a OC.	The Same	1		Sad	mound	8 994	= 18	Secontrod Mar 12
O .	TR.	Ø,	1 Jubiles F	. 16	100						- 21	Dead Mar L
***	The same of the sa	200	5 Aymin of	ž	34						- 24	
C)	'A'	TE.	28 Statemen St.	8 705			Ford		hand		26	
6	Po	52	24 Worskay St	2	116						206	Deed Mar. 4



										_	
			8					e Cu	44 East St.	000	SAS.
	22		do		Food	1 30	100	· 22	53 Store St.	6	. %
	0 21		8		Ä	2 Food	These	* 2/	14 Lucy St		<b>3</b>
Recovered Mar 23.							100	· /S	6 June 27	d	· ×
	· 12		8		Fair	(A)	100	6	doldon Sain!		, ek
Doesd Mar 23.	* 12					Horse	yes ?	* /2	94 Stevenson St.	10	<b>S</b>
Receivered Mar 25.	* 5	36621	å		Sood.	2 50	100	·	fubilize St		, 39
	6		&	Bad		Ç.	Silve		6 Namp don St.		3
	h		d		Tood	es Sec	E Common of the	•	Old Crues by		. B
	24		8	Bud			100	mar 1	13 market Place	6	35
	,		do		300	540 646	12	200			M
Recovered Mar 30.	Mar. 1		2		Lood	54	Yes	228	2 xoursa dr	E.	
	. 25		8		Loan	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		Age .	the marking st	i i	i ik
	kr.	or Fix	d		too 1	- Ent	Sted	a 26	16 Homer St	Ç.	
Recovered Mar 26.	• 14		2	Base		-	Je Comment	26	15 Transport IV	à	* *
	* Dy		2		Land	7 1%	200	* .26			3
Recovered Man 26	Nr 26		Entower		good	<i>G</i> .	Jes .	Fet 25	48 Jannyman St.	23	6 ×
, defealt	to Mospetax	M-Vace	Whom	mande	Eccality of mans.	month Quality	mont vice . The	$\downarrow$			
	A market	asse			tad	ecce a o	1	Ode of	Residence.	age	dex.



In the following table the frequest queen now for Shows estated the former 686 can were for builded to the sure of warring Ormety Detail to the Grand

			*	har pare properties	Š	100/00				ı		M	reconded	ato	8			
1		Successon	3 )	Mila	Medallastin	\$	0	Crown	7	Ship.	Ty more	0	mind by the	A CONTRACTOR	ho :	0	tune	7
Total cases		September 1	Fatalety,	Potal Pass	Fotal de	Fatality per cont,	Total cases.	Fotal	Fatality for cent	Total	Total	Fortality	Total cases	Total deaths.	Fratality to a count.	extent	Fotal	Fatalis,
1	1 the	10	55.1	B	G/	46.1	-	0	0.0	0	0	0,0	4	\	20.0	0	0	0.0
	6	7	36.0	& 60	1	39-1	6	1	50.0	64	0	0,0	24	Ø	0	4		Mete
	6	4	25.0	1	h	18.1	٥	0	0.0	146	1	2.4	38	b	3.40	0	0	o.
	• 🔌	0	75.0	11	*	36.3	0	0	0.0	40	1	2.5	46	P	2.06	00	0	Ö
	<u></u>	N	3.3	44	24	61.3	4	(3	50.0	240	24	10.0	394	40	10.80	14	•	4
	0	0	00	Š.	1	33.3	0	0	00	11	Çar.	5 × 5	Co		28.30	0	Ö	Ö
3/6		140 440		105	40	46-6	K		3.01	368	32	8.7	185	400	6-20	26	(s)	3.6

Mote A. He vaccination marks.

The figures for the Glowerston Opedomic are from Dr. Complands report, and for Middle to

	Un	iden la	year	u.		Over 1	o years	
	Unvac	cmated	Jaccim	ated	thwace	inated.	Vaccui	sted.
	Total	En cont	Total .	Mi Cemb	Total	Tincent	Total	Percent.
Glourcester Exidence Middleotro' to end of Feb. Wromesty District to end of march.	680 36 3	34.4. 5.2 9.0	26 29 1 Note A	1.3 2.2 3.0	88 69 4	4.5 10.0 12.1	1182 552 25	59.7 80-4 45.7

Note A. No execution marks.

Remarks The Gloucester Epidemic was largely one of unraccinated

Middleston's Usmesty being well vaccinated, the adults who had more orless list the protective afforded by Vaccination in infancy were mainly attacked.

Smallepore Death rate in Gloucester Epedomie to March \$1 (830 cases 212 clouds) 24 g

" " " " " Middlestore" - From Mai 22 to " 1200 : 153 - 12 7

. . . Ormesty . . . commencing to . 33 - 5 - 15.1

Remarks on cases admitted wito the Nospital.

The protective value of Vaccination against Smallport was again proved by the results following, the Expresence in the Ormesty Destrict to children and under 10 years of age were admitted out of the whole population, 3 of whom had never been vaccinated, the other was said to have been, but although only 9 years of age had no mand of vaccination, to that if it had been done its value was nil.

Of those who died, one was a woman of 29 years who had been vaccinated been vaccinated to have been vaccinated those the girl of 9 years, who was said to have been vaccinated but had no sears due to vaccination.

The modifying influence of Vaccination was also uphald for lasting



back on the severity of the cases apart from those who died, the most serious cases were two unvaccinated cases 3 x 14. Both of which almost died in the first days of the disease.

See Vaccination. No person who had within a material time been re vaccinated before exposure to Smallpor contracted the disease. The following cases were investigated to char up doubt as to the efficacy of re vaccination in preventing an attack of smallpor, each of these people having developed the disease, it was said, after being re vaccinated. The Cook at the Nospital (case 29) who reported on going to the


Nospital to commence duty that the had been re-vaccinated, this was found to be untrue.

2. A labourer (case 31) employed by the District Council in Intping to remove cases, and sent to be re-vaccinated, who afterwards reported himself as having been done. This was also untrue.

3. A labourer, (case 20) engaged from Feb 6 in attending to the wants

contil the cases could be removed to the premises disinfected; employed on 10th fet to afterwards in helping to remove patients to hospital. He-raccinated Fet 10, ill on the 22.2, nash out on the 24th to patient removed to Hospital on the 24th to patient removed to Hospital on the 24th. The vaccination was performed too late, had it been performed a few days earlier it would condoubtedly, have prevented this patient developing small pay.

Origin of Cases: It was impossible to trace the source of infection in all instances, to many cases were left at their homes in Middlesboo' till they recovered or died, that the inhabitants of the Ormesty Destrict might contract smallpox as a result of votiting or worting in Middlestoo', or infection could be imported into the district without it being possible to trace the origin afterwards. Some of the cases without doubt originated in Middlestoo! One of the cases without doubt originated in Middlestoo! One of the bound a power to not home place of business was in Middlestoo! He came to not he Ormesby to be



nursed with Small por. Case 5 was reported by a neighbour. at the time of my visit she was going about the house doing her house work Whad continued to do so from the commencement of her illness. The had practically recovered from Smallfort when removed to the Hospital. base 23 was a second case arising at the same house there is good reason for believing that case 18 had its origin at this house, for the patient worked along with the son of the first patient removed from here. Cases of BII mursed case & during her confinement, all the were removed with Small pay. The origin of this grown was probably a lodger in the house of ease 8, who was off work ill for It days during the second weekt in January no Doctor attended him I he had a papular rash out on the face. Case 12 was derived from case of both occurring in the same house. The same applies to cases 13 x 27. Cases + x6 were concurrent. base 14 was believed to now been contracted at Middle ofro'. base 15 came home in with Smallfor from Middlestro". base the was a Debt Collector allending the Middles too County Court & chiefly employed in collecting debts from housed in Middleston! bases 14 x 18 were from adjoining houses Case 19 was a girl in service in Middlestro! who came home ill. bases 20 × 31 were men employed by the District Council in removing cases of smallfoor to mentioned previously under heading of Ne-vaccination. base II was a sister of case sy & I have no doubt their was a connection between these cases. Disiting went on between These two houses during the whole of The incubation period. Gase 22 was believed to have had its origin in Middlestoo! Case 23 was a second one from 31 Leven It Case 24. a butcher employed in The Middlesbro' Market.



Case 25 had business which took him a good deal into

base 29 was a second case at 1 fubiler of.
base 29 a costs at the Nospital, see note on re-vaccination, base 30. The mother of this child had a fortmight before gone as Charwoman to a house in Middlestro' where there was a case of small por being newsed at home. Allowing for the incubation period & the fact of the woman mot having been exposed elsewhere to infection, so far as I could tell, the origin appeared to be due to the mother working at the infected house in Middlestoro! base 33 was a Ward maid from the smallpore Nospital Middlestoro, who after taking a situation there, ran away & took charge of a woman recently, confined in North Ormes by it slept with the lying in woman.


The above facts well show how exposed this district

heally was to Small por from Middlestoo', So built that had it not been for the most active to decisive measures taken for dealing with every case as it arose, with emitted action of the District Council & those oficially responsible for the health of the district, the spread of small por in North Ormesty, would have been rapid admost unlimited. The Guardians of Middlestoo' also did their very estmost to have everyone vaccinated or re-vaccinated.

arose in every part of the district, but only to be removed as fast as they appeared.

The rate of attack in this district was I in 249 of the population compared with I in 45 for Middleston!.

Who march 31th the Death's were equal to I in about 2000 of the population for Ormsty against I in 588 for Middlestoo! Estimating their population at 90.000 hours at 10.000, we should have had 133 cases, calculated at the same rate as in Middlestrough.



with My Deathes, against 33 cases & only 5 deaths, as actually occurred or a saving of 100 cases, with 12 Deaths prevented.

Of the date of writing this report, the epedemic appears to be almost over. It has been next well in hand

from the commencement but the work has been

difficult and often disheartening.

The results obtained for the whattants generally with shops more than compensate for the increased rates due to necessairly increased expenditure, this should be remembered that the limiting of this \_ effective has certainly saved much sickness, several lives and much sorrow, to the amount expended for such ends is money well & wisely spent.

Samo, Gentlemen, Jours obediently, (Signed) W.M. Mnott.

Medical Officer of Health.

To the Urban Sanitary Authority 6 of Ormesby. Opril 14th 1898.

